




Creation date: 10-04-2003
Indexing Officer: SFOLTZ - STEVE FOLTZ
Team: OIPEBackFileIndexing
Dossier: 09982645

Legal Date: 05-29-2002

No.	Doccode	Number of pages
1	IDS	25
2	NPL	5
3	NPL	16
4	NPL	1
5	NPL	2
6	NPL	7
7	NPL	11
8	NPL	5
9	NPL	12
10	NPL	14
11	NPL	6
12	NPL	14
13	NPL	14
14	NPL	16
15	NPL	36
16	NPL	1
17	NPL	11
18	NPL	37
19	NPL	20
20	NPL	19
21	NPL	12
22	NPL	7
23	NPL	10
24	NPL	7
25	NPL	6
26	NPL	7
27	NPL	8
28	NPL	1
29	NPL	14
30	NPL	8
31	NPL	1



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : CHEUNG, Nai-Kong V.
U.S. Serial No.: 09/982,645, claiming benefit of U.S. Serial No. 60/241,344, filed on October 18, 2000
Filing Date : October 18, 2001 Group Art Unit: 1645
For : USES OF MONOCLONAL ANTIBODY 8H9

Law Offices of Albert Wai-Kit Chan, LLC
World Plaza, Suite 604
141-07 20th Avenue
Whitestone, NY 11357

May 17, 2002

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Applicant had submitted an Information Disclosure Statement containing 175 references on January 23, 2002 in connection with the above-identified application.

In accordance with his duty of disclosure under 37 C.F.R. § 1.56, Applicant would like to direct the Examiner's attention to the following references in this Supplemental Information Disclosure Statement which are listed on Form PTO-1449 (**Exhibit A**) and are attached hereto as Exhibits 1 through 74, respectively:

1. 02 April 2002 International Search Report from Patent Cooperation Treaty for International Patent Application

Applicant : CHEUNG, Nai-Kong V.
U.S. Serial No.: 09/982,645
Filed : October 18, 2001
Date : May 17, 2002
Page : 2

USES OF MONOCLONAL ANTIBODY 8H9 for SLOAN-KETTERING INSTITUTE FOR CANCER RESEARCH, et al. International application No. PCT/US01/32565, International Filing Date 18 October 2001, claiming benefit of U.S. Serial No. 60/241,344, filed 18 October 2000, and U.S. Serial No. 60/330,396, filed 17 October 2001. Three full-text citations in the International Search Report are attached as **Exhibits 2, 3 and 4** in this Supplemental Information Disclosure Statement. One full-text citation in the International Search Report was included as Exhibit 131 of the January 23, 2002 Information Disclosure Statement. (**Exhibit 1**)

2. JUHL, et al., Additive Cytotoxicity of Different Monoclonal Antibody-Cobra Venom Factor Conjugates for Human Neuroblastoma Cells, Immunobiology, November 1997, vol. 197, pp.444-459 (**Exhibit 2**)
3. MODAK, et al., Radioimmunotargeting to Human Rhabdomyosarcoma (RMS) using Monoclonal Antibody (MOAB) 8H9, Proceedings of the American Association for Cancer Research Annual Meeting, March 2000 vol. 41 PP.724, Abstract 4600. (**Exhibit 3**)
4. XU, et al. Targeting and therapy of carcinoembryonic antigen-expressing tumors in transgenic mice with an antibody-interleukin 2 fusion protein, Cancer Res 15 August 2000, vol. 60. no 16, pages 4475-76, abstract only. (**Exhibit 4**)

Applicant : CHEUNG, Nai-Kong V.
U.S. Serial No.: 09/982,645
Filed : October 18, 2001
Date : May 17, 2002
Page : 3

5. Pegram, M. D., Slamon, D. J. Combination therapy with trastuzumab (Herceptin) and cisplatin for chemoresistant metastatic breast cancer: evidence for receptor-enhanced chemosensitivity. Sem. Oncol., 26:89-95, 1999. (**Exhibit 5**)
6. Bigner, D. D., Brown, M. T., Friedman, A. H., Coleman, R. E., Akabani, G., Friedman, H. S., Thorstad, W. L., McLendon, R. E., Bigner, S. H., Zhao, X. G. Iodine-131-labeled antitenascin monoclonal antibody 81C6 treatment of patients with recurrent malignant gliomas: phase I trial results. Journal Clinical Oncology, 16:2202-2212, 1998. (**Exhibit 6**)
7. Bruland, O., Fodstad, O., Funderud, S., Pihl, A. New monoclonal antibodies specific for human sarcomas. Int J Cancer, 15:27-31, 1986. (**Exhibit 7**)
8. Wang, N. P., Marx, J., McNutt, M. A., Rutledge, J. C., Gown, A. M. Expression of myogenic regulatory proteins(myogenin and MyoD1) in small blue round cell tumors of childhood. Am. J. Pathol., 147:1799-1810, 1995. (**Exhibit 8**)
9. Bigner, D. D., Brown, M., Coleman, E., Friedman, H. A., McClendon, R. E., Bigner, S. H., Zhao, X. G., Wikstrand, C. J., Pegram, C. N. Phase I studies of treatment of malignant gliomas and neoplastic

Applicant : CHEUNG, Nai-Kong V.
U.S. Serial No.: 09/982,645
Filed : October 18, 2001
Date : May 17, 2002
Page : 4

meningitis with ¹³¹I radiolabeled monoclonal antibodies anti-tenascin 81C6 and anti-chondroitin proteoglycan sulfate Mel-14 (ab')₂ - a preliminary report. J Neuro Oncol, 24:109-122, 1995. (**Exhibit 9**)

10. Mariani, G., Lasku, A., Pau, A., Villa, G., Motta, C., Calcagno, G., Taddei, G. Z., Castellani, P., Syrigos, K., Dorcaratto, A., et al. A pilot pharmacokinetic and immunoscintigraphic study with the technetium-99m-labeled monoclonal antibody BC-1 directed against oncofetal fibronectin in patients with brain tumors. Cancer Supplement, 80:2484-2489, 1997. (**Exhibit 10**)
11. DiMaggio JJ, Scheinberg DA, Houghton AN: Monoclonal antibody therapy of cancer. In: Pinedo HM, Chabner BA, Longo DL, (eds.): Cancer Chemotherapy and Biological Response Modifiers, Annual 11, Elsevier Science Publishers B.V., (Biomedical Division), 1990, pp 177-203 (**Exhibit 11**)
12. Schlom J: Monoclonal Antibodies in cancer therapy: Basic principles. In: DeVita VT, Hellman S, Rosenberg SA, (eds.): Biologic therapy of cancer, 2nd ed. Philadelphia, J.B.Lippincott Co, 1995, pp 507-520 (**Exhibit 12**)
13. Lode HN, Xiang R, Becker JC, et al: Immunocytokines: A promising approach to cancer immunotherapy. Pharmacology Therapeutics 80:277-292, 1998 (**Exhibit 13**)

Applicant : CHEUNG, Nai-Kong V.
U.S. Serial No.: 09/982,645
Filed : October 18, 2001
Date : May 17, 2002
Page : 5

14. Erikson HP, Lighter VA: Hexabrachion protein (tenascin, cytotactin, brachionectin) in connective tissues, embryonic tissues and tumors. Adv Cell Biol 2:55-90, 1988 (**Exhibit 14**)
15. Modak S, Gultekin SH, Kramer K, et al: Novel tumor-associated surface antigen: broad distribution among neuroectodermal, mesenchymal and epithelial tumors, with restricted distribution in normal tissues. Proceedings of ASCO 17:449a, 1998, Abstract 1716 (**Exhibit 15**)
16. Cheung NK, Kushner BH, LaQuaglia M, Lindsley K: Treatment of advanced stage neuroblastoma. In: Reghavan D, Scher HI, Leibel SA, Lange P, (eds.): Principles and Practice of Genitourinary Oncology. Philadelphia, J.B. Lippincott Company, 1997, pp 1101-1111 (**Exhibit 16**)
17. Brodeur GM, Castleberry RP: Neuroblastoma. In: Pizzo PA, Poplack DG, (eds.): Principles and Practice of Pediatric Oncology, 3rd ed. Philadelphia, J.B. Lippincott Company, 1997, pp 761-797 chapter 29 (**Exhibit 17**)
18. Cheung NKV: Biological and molecular approaches to diagnosis and treatment. section I. Principles of Immunotherapy. In: Pizzo PA, Poplack DG, (eds.): Principles and Practice of Pediatric Oncology, 3rd ed.

Applicant : CHEUNG, Nai-Kong V.
U.S. Serial No.: 09/982,645
Filed : October 18, 2001
Date : May 17, 2002
Page : 6

ed. Philadelphia, J.B. Lippincott Company, 1997, pp
323-342 (**Exhibit 18**)

19. Larson SM, Sgouros G, Cheung NK: Antibodies in cancer therapy: Radioisotope conjugates. In: DeVita VT, Hellman S, Rosenberg SA, (eds.): Biologic Therapy of Cancer, 2nd ed. Philadelphia, J.B. Lippincott Co., 1995, pp 534-552 (**Exhibit 19**)
20. Reisfeld RA, Mueller BM, Handgretinger R: Potential of genetically engineered anti-ganglioside GD2 antibodies for cancer immunotherapy. In: Progress in Brain Search (Svennerhol,L, Asbury,AK, Reisfeld,RA, Sandhoff,K, Suzuki,K, Tettamani,G, Toffano,G, vol. 101. Cambridge, UK, Elsevier Trends Journals, 1994, pp 201-212 (**Exhibit 20**)
21. Cheung NKV, Walter EI, Smith-Mensah WH, et al: Decay-accelerating factor protects human tumor cells from complement-mediated cytotoxicity in vitro. J Clin Invest 81:1122-1128, 1988 (**Exhibit 21**)
22. Murray JL, Cunningham JE, Brewer HM, et al: Phase I trial of murine monoclonal antibody 14G2a administered by prolonged intravenous infusion in patients with neuroectodermal tumors. J Biol Resp Modif 1991 (Soc. Biol. Therapy Meeting Abstract 1991.) Journal of Clinical Oncology, Vol 12, No 1 (January), 1994; pp 184-193 (**Exhibit 22**)

Applicant : CHEUNG, Nai-Kong V.
U.S. Serial No.: 09/982,645
Filed : October 18, 2001
Date : May 17, 2002
Page : 7

23. Ugur O, Kostakoglu L, Hui ET, et al: Comparison of the targeting characteristics of various radioimmunoconjugates for radioimmunotherapy of neuroblastoma: Dosimetry calculations incorporating cross-organ beta doses. Nucl Med Biol 23:1-8, 1996 (**Exhibit 23**)
24. Saleh MN, Khazaeli MB, Wheeler RH, et al: Phase I trial of the murine monoclonal anti-GD2 antibody 14G2a in metastatic melanoma. Cancer Research 52, 4342-4347, August 15, 1992 (**Exhibit 24**)
25. Handgretinger R, Anderson K, Lang P, et al: A phase I study of human/mouse chimeric antiganglioside GD2 antibody ch14.18 in patients with neuroblastoma. Eur J Cancer 31:261-267, 1995 (**Exhibit 25**)
26. Cheung NKV, Kushner BH, Yeh SJ, Larson SM: 3F8 monoclonal antibody treatment of patients with stage IV neuroblastoma: a phase II study. In: Evans AE, Guillo JD, Biedler JL, et al, (eds.): Advances in Neuroblastoma Research, vol. 4. New York, Wiley Liss, 1994, pp 319-329 (**Exhibit 26**)
27. Yu AL, Gillies SD, Reisfeld RA: Phase I clinical trial of ch14.18 in patients with refractory neuroblastoma. Proc Am Soc Clin Oncol 10:318, 1991, Abstract 1118 (**Exhibit 27**)

Applicant : CHEUNG, Nai-Kong V.
U.S. Serial No.: 09/982,645
Filed : October 18, 2001
Date : May 17, 2002
Page : 8

28. Cheung NK: Biological and Molecular Approaches to Diagnosis and Treatment. Immunotherapy. In: Pizzo PA, Poplack DG, (eds.): Principles and Practice of Pediatric Oncology, 2nd ed. Philadelphia, J.B.Lippincott Company, 1992, pp 357-370 (**Exhibit 28**)
29. Cheung NKV, Kushner BH, Yeh SJ, Larson SM: 3F8 monoclonal antibody treatment of patients with stage IV neuroblastoma: A phase II Study. Int J Oncol 12:1299-1306, 1998 (**Exhibit 29**)
30. Cheung NK, Yeh SD, Kushner BH, et al: Phase I study of radioimmunotherapy of neuroblastoma using iodine 131 labeled 3F8. In: Prog. Clin. Biol. Res: Advances in Neuroblastoma Research 4. New York, Wiley Liss, 1994, pp 329 (**Exhibit 30**)
31. Kramer K, Cheung NKV, DiResta G, et al: Pharmacokinetics and acute toxicology of intraventricular ¹³¹I-monoclonal antibody targeting disialoganglioside in non-human primates. J Neuro Oncol 1996 (**Exhibit 31**)
32. Saleh MN, Wheeler RH, Khazaeli MB, et al: Phase I trial of chimeric anti-GD2 monoclonal antibody C14.18 in patients with metastatic melanoma. Hum. Antibod. Hybridomas, 1992, vol 3, January (**Exhibit 32**)

Applicant : CHEUNG, Nai-Kong V.
U.S. Serial No.: 09/982,645
Filed : October 18, 2001
Date : May 17, 2002
Page : 9

33. Cheung IY, Cheung NKV, Kushner BH: Induction of Ab3' following anti-GD2 monoclonal antibody 3F8 therapy predicts survival among patients (pts) with advanced neuroblastoma. Proc Am Assoc Cancer Res 40:574, 1999, Abstract 3787 (**Exhibit 33**)
34. Chen S, Caragine T, Cheung NK, Tomlinson S: Surface antigen expression and complement susceptibility of differentiated neuroblastoma clones. Am J Pathol In press:, 1999 (**Exhibit 34**)
35. Sgouros G, Divgi CR, Scott AM, et al: Hematologic toxicity in radioimmunotherapy: An evaluation of different predictive measures. J Nucl Med 37:43P-44P, 1996, Abstract 165 (**Exhibit 35**)
36. Sgouros G: Treatment planning for internal emitter therapy: methods, applications and clinical implications. 1996 (**Exhibit 36**)
37. Sgouros G: Yttrium-90 biodistribution by yttrium-87 imaging: a feasibility analysis. Medical Physics 25(8), August 1998 (**Exhibit 37**)
38. Meyer CR, Boes JL, Kim B, et al: Demonstration of accuracy and clinical versatility of mutual information for automatic multimodality image fusion using affine and thin-plate spline warped geometric deformations. Medical Image Analysis 1:195-206, 1997 (**Exhibit 38**)

Applicant : CHEUNG, Nai-Kong V.
U.S. Serial No.: 09/982,645
Filed : October 18, 2001
Date : May 17, 2002
Page : 10

39. Burdach S, Nurnberger W, Laws HJ, et al. Myeloablative therapy, stem cell rescue and gene transfer in advanced Ewing tumors. Bone Marrow Transplant. 1996;18 Suppl 1:S67-8. (**Exhibit 39**)
40. Ladenstein R, Lasset C, Pinkerton R, et al. Impact of megatherapy in children with high-risk Ewing's tumours in complete remission: a report from the EBMT Solid Tumour Registry [published erratum appears in Bone Marrow Transplant 1996 Sep;18(3):675]. Bone Marrow Transplant. 1995;15:697-705. (**Exhibit 40**)
41. Ladenstein R, Philip T, Gardner H. Autologous stem cell transplantation for solid tumors in children. Curr Opin Pediatr. 1997; 9:55-69. (**Exhibit 41**)
42. Laws HJ, Burdach S, van Kaick B, et al. Multimodality diagnostics and megatherapy in poor prognosis Ewing's tumor patients. A single-center report. Strahlenther Onkol. 1999;175:488-94. (**Exhibit 42**)
43. Pape H, Laws HJ, Burdach S, et al. Radiotherapy and high-dose chemotherapy in advanced Ewing's tumors. Strahlenther Onkol. 1999; 175:484-7. (**Exhibit 43**)
44. Pession A, Prete A, Locatelli F, et al. Phase I study of high-dose thiotepa with busulfan, etoposide, and autologous stem cell support in children with

Applicant : CHEUNG, Nai-Kong V.
U.S. Serial No.: 09/982,645
Filed : October 18, 2001
Date : May 17, 2002
Page : 11

disseminated solid tumors. Med Pediatr Oncol. 1999;
33:450-4. (**Exhibit 44**)

45. Stewart DA, Gyonyor E, Paterson AH, et al. High-dose melphalan +/- total body irradiation and autologous hematopoietic stem cell rescue for adult patients with Ewing's sarcoma or peripheral neuroectodermal tumor. Bone Marrow Transplant. 1996; 18:315-8. (**Exhibit 45**)
46. Rill DR, Santana VM, Roberts WM, et al. Direct demonstration that autologous bone marrow transplantation for solid tumors can return a multiplicity of tumorigenic cells. Blood. 1994; 84:380-3. (**Exhibit 46**)
47. Brenner MK, Rill DR, Moen RC, et al. Gene-marking to trace origin of relapse after autologous bone-marrow transplantation. Lancet. 1993; 341:85-6. (**Exhibit 47**)
48. Mackall C, Long L, Dagher R, et al. Combined Immune Reconstitution/Tumor Vaccination to induce anti-tumor immune responses in the setting of minimal residual neoplastic disease [abstract]. Blood. 1999; 94:133a, Abstract 586 (**Exhibit 48**)
49. Quinones RR, Gutierrez RH, Dinndorf PA, et al. Extended-cycle elutriation to adjust T-cell content in HLA-disparate bone marrow transplantation. Blood. 1993; 82:307-17. (**Exhibit 49**)

Applicant : CHEUNG, Nai-Kong V.
U.S. Serial No.: 09/982,645
Filed : October 18, 2001
Date : May 17, 2002
Page : 12

50. Kontny HU, Lehrnbecher TM, Chanock SJ, Mackall CL. Simultaneous expression of Fas and nonfunctional Fas ligand in Ewing's sarcoma. Cancer Res. 1998; 58:5842-9. (Exhibit 50)
51. de Wynter EA, Coutinho LH, Pei X, et al. Comparison of purity and enrichment of CD34+ cells from bone marrow, umbilical cord and peripheral blood (primed for apheresis) using five separation systems. Stem Cells. 1995; 13:524-32. (Exhibit 51)
52. Dworzak MN, Fritsch G, Buchinger P, et al. Flow cytometric assessment of human MIC2 expression in bone marrow, thymus, and peripheral blood. Blood. 1994; 83:415-25. (Exhibit 52)
53. De Leij, L., Helrich, W., Stein, R., and Mattes M.J. SCLC-cluster-2 antibodies detect the pancarcinoma/epithelial glycoprotein E GP-2 (supplement) Int. J. Cancer 8: 60-3, 1994 (Exhibit 53)
54. Gerald, W.L., et al. Intra-abdominal desmoplastic small round-cell tumors: report of 19 cases of distinctive type of high-grade polyphenotypic malignancy affecting young individuals Am. J. Surg. Pathol. 15(6): 499-513, (1991) (Exhibit 54)

Applicant : CHEUNG, Nai-Kong V.
U.S. Serial No.: 09/982,645
Filed : October 18, 2001
Date : May 17, 2002
Page : 13

55. Lee, S.B., Kolquist, K.A., Nichols, K., Englert, C., Maheshwaran, S., Ladanyi, M., et al., The EWS-WT1 translocation product induces PDGFA in desmoplastic small round- cell tumour. Nat Genet 17, 309-13, 1997 (**Exhibit 55**)
56. Burton, D.R. and Barbas III, C.G. (1994) Human antibodies from combinatorial libraries. Advances in Immunology 57, 191-280. (**Exhibit 56**)
57. George, A.J.T., Spooner, R.A. and Epenetos, A.A. (1994) Applications of Monoclonal Antibodies in Clinical Oncology. Immunology Today 15, 559-561. (**Exhibit 57**)
58. Kipriyanov, S.M., Bretling, F., Little, M. and Dubel, S. (1995) Single-chain antibody streptavidin fusions: tetrameric bifunctional scFv-complexes with biotin binding activity and enhanced affinity to antigen. Human Antibodies Hybridomas 6, 93-101. (**Exhibit 58**)
59. Winter, G., Griffiths, A.D., Hawkins, R.E. and Hoogenboom, H.R. (1994) Making antibodies by phage display technology. Annual Review of Immunology 12, 433-55. (**Exhibit 59**)
60. Daniel, P. T., Kroidl, A., Cayeux, S., Bargou, R., Blankenstein, T., and Dorken, B. Costimulatory signals through B7.1/CD28 prevent T cell apoptosis during

Applicant : CHEUNG, Nai-Kong V.
U.S. Serial No.: 09/982,645
Filed : October 18, 2001
Date : May 17, 2002
Page : 14

target cell lysis. J Immunol, 159: 3808-3815, 1997.
(Exhibit 60)

61. Hwu, P., Shafer, G. E., Treisman, J., Schindler, D. G., Gross, G., Cowherd, R., Rosenberg, S. A., and Eshhar, Z. Lysis of ovarian cancer cells by human lymphocytes redirected with a chimeric gene composed of an antibody variable region and the Fc-receptor gamma-chain. J. Exp. Med., 178: 361-369, 1993. (Exhibit 61)
62. Rosenberg, S. A. Cell transfer therapy: clinical applications. In: V. T. J. DeVita, S. Hellman, and S. A. Rosenberg (eds.), Biologic therapy of cancer, second edition, pp. 487-506. Philadelphia: J.B.Lippincott Company, 1995. (Exhibit 62)
63. Yang, A.-G. and Chen, S.-Y. A new class of antigen-specific killer cells. Nat Biotechnol, 15: 46-51, 1997. (Exhibit 63)
64. Culver, K. W., Ram, Z., Wallbridge, S., Ishii, H., Oldfield, E. H., and Blaese, R. M. In vivo gene transfer with retroviral vector-producer cells for treatment of experimental brain tumors. Science, 256: 1550, 1992. (Exhibit 64)
65. Jensen, M., Tan, G., Forman, S., Wu, A. M., and Raubitschek, A. CD20 is a molecular target for scFvFc: receptor redirected T cells: implications for cellular

Applicant : CHEUNG, Nai-Kong V.
U.S. Serial No.: 09/982,645
Filed : October 18, 2001
Date : May 17, 2002
Page : 15

immunotherapy of CD20+ malignancy. Biol Blood Marrow Transplant, 4: 75-83, 1998. (**Exhibit 65**)

66. Fitzer-Attas, C.J. and Eshhar, Z. Tyrosine kinase chimeras for antigen-selective T-body therapy. Adv Drug Deliv Rev, 31: 171-182, 1998. (**Exhibit 66**)
67. Valitutti, S. and Lanzavecchia, A. Serial triggering of TCRs: a basis for the sensitivity and specificity of antigen recognition. Immunology Today, 18: 299-304, 1997. (**Exhibit 67**)
68. Ruymann FB and Grovas AC. Progress in the diagnosis and treatment of rhabdomyosarcoma and related soft tissue sarcomas. Cancer Invest 18:223-241, 2000 (**Exhibit 68**)
69. Cheung NK, Neely JE, Landmeier B, Nelson D and Miraldi F. Targeting of ganglioside GD2 monoclonal antibody to neuroblastoma J Nuc Med 28:1577-83, 1987 (**Exhibit 69**)
70. Thomson B, Hawkins D, Felgenhauer J, and Radich J. RT-PCR evaluation of peripheral blood, bone marrow and peripheral blood stem cells in children and adolescents undergoing VACIME chemotherapy for Ewing's sarcoma and alveolar rhabdomyosarcoma. Bone Marrow Transplant 24:527-33, 1999 (**Exhibit 70**)
71. Athale UH, Shurtleff SA, Jenkins JJ, Poquette CA, Tan M, Downing JR and Pappo AS. Use of Reverse

Applicant : CHEUNG, Nai-Kong V.
U.S. Serial No.: 09/982,645
Filed : October 18, 2001
Date : May 17, 2002
Page : 16

Transcriptase Polymerase Chain Reaction for Diagnosis and Staging of Alveolar Rhabdomyosarcoma, Ewing Sarcoma Family of Tumors, and Desmoplastic Small Round Cell Tumor. Am J Pediatr Hematol Oncol 23(2):99-104, 2001 (**Exhibit 71**)

72. Mackall C, Berzofsky J and Helman LJ. Targeting tumor specific translocations in sarcomas in pediatric patients for immunotherapy. Clin Orthop. 373:25-31, 2000 (**Exhibit 72**)

73. Gruchala A, Niezabitowski A, Wasilewska A, Sikora K, Rys J, Szklarski W, Jaszcz A, Lackowska B and Herman K. Rhabdomyosarcoma. Morphologic, immunohistochemical, and DNA study. Gen Diagn Pathol 1142:175-84, 1997 (**Exhibit 73**)

74. Kalebic T, Tsokos M, Helman LJ. In vivo treatment with antibody against IGF-1 receptor suppresses growth of human rhabdomyosarcoma and down-regulates p34^{cdc2}. Cancer Res 54:5531-4, 1994 (**Exhibit 74**)

If a telephone interview would be of assistance in advancing prosecution of the subject application, Applicant's undersigned attorney invites the Examiner to telephone him at the number provided below.

No fee is deemed necessary in connection with the filing of this Supplemental Information Disclosure Statement (§1.97(c)).

Applicant : CHEUNG, Nai-Kong V.
U.S. Serial No.: 09/982,645
Filed : October 18, 2001
Date : May 17, 2002
Page : 17

However, if any additional fee is required, authorization is hereby given to charge the amount of any such fee to Applicant's Deposit Account No. 50-1891.

Respectfully submitted,

Albert Wai-Kit Chan

I hereby certify that this paper is being deposited this date with the U.S. Postal Service with sufficient postage for first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

Albert Wai-Kit Chan 5/17/02
Albert Wai-Kit Chan Date
Reg. No. 36,479

Albert Wai-Kit Chan
Registration No. 36,479
Attorney for Applicant
Law Offices of
Albert Wai-Kit Chan, LLC
141-07 20th Ave., Suite 604
Whitestone, NY 11357
Tel: (718) 357-8836
Fax: (718) 357-8615
e-mail: kitchenlaw@aol.com

Form PTO-1449		U.S. Department of Commerce Patent and Trademark Office		Atty. Docket No. 638-A		Serial No. 09/982,645							
INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)				Applicants CHEUNG, Nai-Kong V.									
								Filing Date 10/18/01		Group 1645			
				U.S. PATENT DOCUMENTS									
Examiner Initial		Document Number		Date		Name		Class		Subclass		Filing Date if Appropriate	
								RECEIVED					
								MAY 3 10 2002					
								TECH CENTER 1600 29.					
FOREIGN PATENT DOCUMENTS													
		Document Number		Date		Country		Class		Subclass		Translation	
												Yes No	
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)													
1		International Search Report											
		2 April 2002 International Search Report from Patent Cooperation Treaty for International Patent Application USES OF MONOCLONAL ANTIBODY 8H9 for SLOAN-KETTERING INSTITUTE FOR CANCER RESEARCH, et al. International application No. PCT/US01/32565, International Filing Date 18 October 2001, claiming benefit of U.S. Serial No. 60/241,344, filed 18 October 2000, and U.S. Serial No. 60/330,396, filed 17 October 2001. (Exhibit 1)											
2		JUHL, et al.											
		Additive Cytotoxicity of Different Monoclonal Antibody-Cobra Venom Factor Conjugates for Human Neuroblastoma Cells, Immunobiology, November 1997, vol. 197, pp.444-459 (Exhibit 2)											
3		MODAK, et al.											
		Radioimmunotargeting to Human Rhabdomyosarcoma (RMS) using Monoclonal Antibody (MOAB) 8H9, Proceedings of the American Association for Cancer Research Annual Meeting, March 2000 vol. 41 PP.724, Abstract 4600. (Exhibit 3)											

4	XU, et al. Targeting and therapy of carcinoembryonic antigen-expressing tumors in transgenic mice with an antibody-interleukin 2 fusion protein, Cancer Res 15 August 2000, vol. 60. No 16, pages 4475-84, abstract only. (Exhibit 4)
5	Pegram, M. D., Slamon, D. J. Combination therapy with trastuzumab (Herceptin) and cisplatin for chemoresistant metastatic breast cancer: evidence for receptor-enhanced chemosensitivity. Sem. Oncol., 26:89-95, 1999. (Exhibit 5)
6	Bigner, D. D., et al Iodine-131-labeled antitenascin monoclonal antibody 81C6 treatment of patients with recurrent malignant gliomas: phase I trial results. Journal Clinical Oncology, 16:2202-2212, 1998. (Exhibit 6)
7	Bruland, O. et al. New monoclonal antibodies specific for human sarcomas. Int J Cancer, 15:27-31, 1986. (Exhibit 7)
8	Wang, N. P. et al. Expression of myogenic regulatory proteins (myogenin and MyoD1) in small blue round cell tumors of childhood. Am. J. Pathol., 147:1799-1810, 1995. (Exhibit 8)
9	Bigner, D. D. et al. Phase I studies of treatment of malignant gliomas and neoplastic meningitis with 131 I radiolabeled monoclonal antibodies anti-tenascin 81C6 and anti-chondroitin proteoglycan sulfate Mel-14 (ab') ₂ - a preliminary report. J Neuro Oncol, 24:109-122, 1995. (Exhibit 9)
10	Mariani, G. et al. A pilot pharmacokinetic and immunoscintigraphic study with the technetium-99m-labeled monoclonal antibody BC-1 directed against oncofetal fibronectin in patients with brain tumors. Cancer Supplement, 80:2484-2489, 1997. (Exhibit 10)
11	DiMaggio JJ et al. Monoclonal antibody therapy of cancer. In: Pinedo HM, Chabner BA, Longo DL, (eds.): Cancer Chemotherapy and Biological Response Modifiers, Annual 11, Elsevier Science Publishers B.V., (Biomedical Division), 1990, pp 177-203 (Exhibit 11)
12	Schlom J. Monoclonal Antibodies in cancer therapy: Basic principles. In: DeVita VT, Hellman S, Rosenberg SA, (eds.): Biologic therapy of cancer, 2nd ed. Philadelphia, J.B.Lippincott Co, 1995, pp 507-520 (Exhibit 12)
13	Lode HN. et al. Immunocytokines: A promising approach to cancer immunotherapy. Pharmacology Therapeutics 80:277-292, 1998 (Exhibit 13)

RECEIVED

MAY 20 2002

TECH CENTER 1600 2900

O I P E
MAY 29 2002
OFFICE 00101

14	Erikson HP. et al. Hexabrachion protein (tenascin, cytotactin, brachionectin) in connective tissues, embryonic tissues and tumors. Adv Cell Biol 2:55-90, 1988 (Exhibit 14)
15	Modak S. et al. Novel tumor-associated surface antigen: broad distribution among neuroectodermal, mesenchymal and epithelial tumors, with restricted distribution in normal tissues. Proceedings of ASCO 17:449a, 1998, Abstract 1716 (Exhibit 15)
16	Cheung NK. et al. Treatment of advanced stage neuroblastoma. In: Reghavan D, Scher HI, Leibel SA, Lange P, (eds.): Principles and Practice of Genitourinary Oncology. Philadelphia, J.B. Lippincott Company, 1997, pp 1101-1111 (Exhibit 16)
17	Brodeur G.M. et al. Neuroblastoma. In: Pizzo PA, Poplack DG, (eds.): Principles and Practice of Pediatric Oncology, 3rd ed. Philadelphia, J.B. Lippincott Company, 1997, pp 761-797 chapter 2 (Exhibit 17)
18	Cheung N.K.V. et al. Biological and molecular approaches to diagnosis and treatment. section I. Principles of Immunotherapy. In: Pizzo PA, Poplack DG, (eds.): Principles and Practice of Pediatric Oncology, 3rd ed. ed. Philadelphia, J.B. Lippincott Company, 1997, pp 323-342 (Exhibit 18)
19	Larson S.M. et al. Antibodies in cancer therapy: Radioisotope conjugates. In: DeVita VT, Hellman S, Rosenberg SA, (eds.): Biologic Therapy of Cancer, 2nd ed. Philadelphia, J.B. Lippincott Co., 1995, pp 534-552 (Exhibit 19)
20	Reisfeld R.A. et al. Potential of genetically engineered anti-ganglioside GD2 antibodies for cancer immunotherapy. In: Progress in Brain Search (Svennerhol, L, Asbury, AK, Reisfeld, RA, Sandhoff, K, Suzuki, K, Tettamani, G, Toffano, G, vol. 101. Cambridge, UK, Elsevier Trends Journals, 1994, pp 201-212 (Exhibit 20)
21	Cheung N.K.V. et al. Decay-accelerating factor protects human tumor cells from complement-mediated cytotoxicity in vitro. J Clin Invest 81:1122-1128, 1988 (Exhibit 21)
22	Murray J.L. et al. Phase I trial of murine monoclonal antibody 14G2a administered by prolonged intravenous infusion in patients with neuroectodermal tumors. J Biol Resp Modif 1991 (Soc. Biol. Therapy Meeting Abstract 1991.) Journal of Clinical Oncology, Vol 12, No 1 (January), 1994; pp 184-193 (Exhibit 22)

RECEIVED

MAY 30 2002

TECH CENTER 1600-2900

OFFICE
MAY 24 2002

23	Ugur O. et al. Comparison of the targeting characteristics of various radioimmunoconjugates for radioimmunotherapy of neuroblastoma: Dosimetry calculations incorporating cross-organ beta doses. Nucl Med Biol 23:1-8, 1996 (Exhibit 23)
24	Saleh M.N. et al. Phase I trial of the murine monoclonal anti-GD2 antibody 14G2a in metastatic melanoma. Cancer Research 52, 4342-4347, August 15, 1992 (Exhibit 24)
25	Handgretinger R. et al. A phase I study of human/mouse chimeric antiganglioside GD2 antibody ch14.18 in patients with neuroblastoma. Eur J Cancer 31:261-267, 1995 (Exhibit 25)
26	Cheung N.K.V. et al. 3F8 monoclonal antibody treatment of patients with stage IV neuroblastoma: a phase II study. In: Evans AE, Guillo JD, Biedler JL, et al, (eds.): Advances in Neuroblastoma Research, vol. 4. New York, Wiley Liss, 1994, pp 319-329 (Exhibit 26)
27	Yu A.L. et al. Phase I clinical trial of ch14.18 in patients with refractory neuroblastoma. Proc Am Soc Clin Oncol 10:318, 1991, Abstract 1118 (Exhibit 27)
28	Cheung N.K. Biological and Molecular Approaches to Diagnosis and Treatment. Immunotherapy. In: Pizzo PA, Poplack DG, (eds.): Principles and Practice of Pediatric Oncology, 2nd ed. Philadelphia, J.B.Lippincott Company, 1992, pp 357-370 (Exhibit 28)
29	Cheung N.K.V. et al. 3F8 monoclonal antibody treatment of patients with stage IV neuroblastoma: A phase II Study. Int J Oncol 12:1299-1306, 1998 (Exhibit 29)
30	Cheung N.K. et al. Phase I study of radioimmunotherapy of neuroblastoma using iodine 131 labeled 3F8. In: Prog. Clin. Biol. Res: Advances in Neuroblastoma Research 4. New York, Wiley Liss, 1994, pp 329 (Exhibit 30)
31	Kramer K. et al. Pharmacokinetics and acute toxicology of intraventricular ¹³¹ I-monoclonal antibody targeting disialoganglioside in non-human primates. J Neuro Oncol 1996 (Exhibit 31)
32	Saleh M.N. et al. phase I trial of chimeric anti-GD2 monoclonal antibody C14.18 in patients with metastatic melanoma. Hum. Antibod. Hybridomas, 1992, vol 3, January (Exhibit 32)
33	Cheung I.Y. et al. Induction of Ab3' following anti-GD2 monoclonal antibody 3F8 therapy predicts survival among patients (pts) with advanced neuroblastoma. Proc Am Assoc Cancer Res 40:574, 1999, Abstract 3787 (Exhibit 33)

RECEIVED

MAY 30 2002

TECH CENTER 1600 2900

34	Chen S. et al. Surface antigen expression and complement susceptibility of differentiated neuroblastoma clones. Am J Pathol In press:, 1999 (Exhibit 34)
35	Sgouros G. et al. Hematologic toxicity in radioimmunotherapy: An evaluation of different predictive measures. J Nucl Med 37:43P-44P, 1996, Abstract 165 (Exhibit 35)
36	Sgouros G. et al. Treatment planning for internal emitter therapy: methods, applications and clinical implications. 1996 (Exhibit 36)
37	Sgouros G. et al. Yttrium-90 biodistribution by yttrium-87 imaging: a feasibility analysis. Medical Physics 25(8), August 1998 (Exhibit 37)
38	Meyer C.R. et al. Demonstration of accuracy and clinical versatility of mutual information for automatic multimodality image fusion using affine and thin-plate spline warped geometric deformations. Medical Image Analysis 1:195-206, 1997 (Exhibit 38)
39	Burdach S. et al. Myeloablative therapy, stem cell rescue and gene transfer in advanced Ewing tumors. Bone Marrow Transplant. 1996;18 Suppl 1:S67-8. (Exhibit 39)
40	Ladenstein R. et al. Impact of megatherapy in children with high-risk Ewing's tumours in complete remission: a report from the EBMT Solid Tumour Registry [published erratum appears in Bone Marrow Transplant 1996 Sep;18(3):675]. Bone Marrow Transplant. 1995;15:697-705. (Exhibit 40)
41	Ladenstein R. et al. Autologous stem cell transplantation for solid tumors in children. Curr Opin Pediatr. 1997; 9:55-69. (Exhibit 41)
42	Laws H.J. et al. Multimodality diagnostics and megatherapy in poor prognosis Ewing's tumor patients. A single-center report. Strahlenther Onkol. 1999;175:488-94. (Exhibit 42)
43	Pape H. et al. Radiotherapy and high-dose chemotherapy in advanced Ewing's tumors. Strahlenther Onkol. 1999; 175:484-7. (Exhibit 43)
44	Pession A. et al. Phase I study of high-dose thiotepa with busulfan, etoposide, and autologous stem cell support in children with disseminated solid tumors. Med Pediatr Oncol. 1999; 33:450-4. (Exhibit 44)
45	Stewart D.A. et al. High-dose melphalan +/- total body irradiation and autologous hematopoietic stem cell rescue for adult patients with Ewing's sarcoma or peripheral neuroectodermal tumor. Bone Marrow Transplant. 1996; 18:315-8. (Exhibit 45)

RECEIVED

MAY 30 2000

TECH CENTER 1600 2900

46	Rill D.R. et al. Direct demonstration that autologous bone marrow transplantation for solid tumors can return a multiplicity of tumorigenic cells. Blood. 1994; 84:380-3. (Exhibit 46)
47	Brenner M.K. et al. Gene-marking to trace origin of relapse after autologous bone-marrow transplantation. Lancet. 1993; 341:85-6. (Exhibit 47)
48	Mackall C. et al. Combined Immune Reconstitution/Tumor Vaccination to induce anti-tumor immune responses in the setting of minimal residual neoplastic disease [abstract]. Blood. 1999; 94:133a, Abstract 586 (Exhibit 48)
49	Quinones R.R. et al. Extended-cycle elutriation to adjust T-cell content in HLA-disparate bone marrow transplantation. Blood. 1993; 82:307-17. (Exhibit 49)
50	Kontny H.U. et al. Simultaneous expression of Fas and nonfunctional Fas ligand in Ewing's sarcoma. Cancer Res. 1998; 58:5842-9. (Exhibit 50)
51	de Wynter E.A. et al. Comparison of purity and enrichment of CD34+ cells from bone marrow, umbilical cord and peripheral blood (primed for apheresis) using five separation systems. Stem Cells. 1995; 13:524-32. (Exhibit 51)
52	Dworzak M.N. et al. Flow cytometric assessment of human MIC2 expression in bone marrow, thymus, and peripheral blood. Blood. 1994; 83:415-25. (Exhibit 52)
53	De Leij, et al. SCLC-cluster-2 antibodies detect the pancarcinoma/epithelial glycoprotein E GP-2 (supplement) Int. J. Cancer 8: 60-3, 1994 (Exhibit 53)
54	Willian L. et al. Intra-abdominal desmoplastic small round-cell tumors: report of 19 cases of distinctive type of high-grade polyphenotypic malignancy affecting young individuals Am. J. Surg. Pathol. 15(6): 499-513, (1991) (Exhibit 54)
55	Lee, S.B. et al. The EWS-WT1 translocation product induces PDGFA in desmoplastic small round- cell tumour. Nat Genet 17, 309-13, 1997 (Exhibit 55)
56	Burton, D.R. et al. Human antibodies from combinatorial libraries. Advances in Immunology 57, 191-280 (Exhibit 56)
57	George A.J.T. et al. Applications of Monoclonal Antibodies in Clinical Oncology. Immunology Today 15, 559-561. (Exhibit 57)

RECEIVED

MAY 29 2000

TECH CENTER 1600 2900

58	Kipriyanov, S.M. et al. Single-chain antibody streptavidin fusions: tetrameric bifunctional scFv-complexes with biotin binding activity and enhanced affinity to antigen. Human Antibodies Hybridomas 6, 93-101. (Exhibit 58)
59	Winter, G. et al. Making antibodies by phage display technology. Annual Review of Immunology 12, 433-55. (Exhibit 59)
60	Daniel, P. T. et al. Costimulatory signals through B7.1/CD28 prevent T cell apoptosis during target cell lysis. J Immunol, 159: 3808-3815, 1997. (Exhibit 60)
61	Hwu, P. et al. Lysis of ovarian cancer cells by human lymphocytes redirected with a chimeric gene composed of an antibody variable region and the Fc-receptor gamma-chain. J. Exp. Med., 178: 361-369, 1993. (Exhibit 61)
62	Rosenberg, S. A. Cell transfer therapy: clinical applications. In: V. T. J. DeVita, S. Hellman, and S. A. Rosenberg (eds.), Biologic therapy of cancer, second edition, pp. 487-506. Philadelphia: J.B.Lippincott Company, 1995. (Exhibit 62)
63	Yang, A.-G. et al. A new class of antigen-specific killer cells. Nat Biotechnol, 15: 46-51, 1997. (Exhibit 63)
64	Culver, K. W. et al. In vivo gene transfer with retroviral vector-producer cells for treatment of experimental brain tumors. Science, 256: 1550, 1992. (Exhibit 64)
65	Jensen, M. et al. CD20 is a molecular target for scFvFc: receptor redirected T cells: implications for cellular immunotherapy of CD20+ malignancy. Biol Blood Marrow Transplant, 4: 75-83, 1998. (Exhibit 65)
66	Eshhar, Z. et al. Tyrosine kinase chimeras for antigen-selective T-body therapy. Adv Drug Deliv Rev, 31: 171-182, 1998. (Exhibit 66)
67	Valitutti, S. et al. Serial triggering of TCRs: a basis for the sensitivity and specificity of antigen recognition. Immunology Today, 18: 299-304, 1997. (Exhibit 67)
68	Ruymann F.B. et al. Progress in the diagnosis and treatment of rhabdomyosarcoma and related soft tissue sarcomas. Cancer Invest 18:223-241, 2000 (Exhibit 68)
69	Cheung N.K. et al. Targeting of ganglioside GD2 monoclonal antibody to neuroblastoma J Nuc Med 28:1577-83, 1987 (Exhibit 69)

RECEIVED

MAY 30 2002

TECH CENTER 160